# **Handpiece Special Offers**



July - August 2022

#### **TURBINES**

#### **T1 Boost Turbines**

Perfection that fits in your hand · Premium class LED turbines with

- ergonomic lightweight titanium sleeves Offering high power and optimum control at all times, the T1 range are extremely quiet during operation
- KaVo & Sirona fitting
- 3 year warranty

SIR-6689405 T1 Boost (KaVo Multiflex coupling)

RRP £1,343 Only £638



- You can rely on Dentsply Sirona T2 class LED turbines for any situation
- The continuous high performance, the ergonomic shape together with a surface finish for strong grip, these LED turbines made of stainless steel are guaranteed to satisfy
- KaVo, Sirona, W&H & NSK fitting
- · 2 year warranty

SIR-6689637 T2 Boost (KaVo Multiflex coupling)

RRP £1,091 **Only £486** 

# **T3 Boost Turbines** Powerful and economical

Dentsply Sirona

- · Made of stainless steel, these nonfibre optic turbines have 26 watts of power and ceramic ball bearings to ensure efficient working in the long run
- · Powerful lasting efficiency
- KaVo & Sirona fitting
- 1 vear warranty

SIR-6689827

T3 Boost (KaVo Multiflex coupling)

RRP £802 Only £382



Dentsply Sirona

#### MASTERtorque Lux M9000L

#### KaVo's Premium Turbine

- Powerful 23 watts
- · Ouiet Only 57dB, vibration free
- · Small head for improved access and patient comfort - Height 13.1mm
- · Features Direct Stop Technology
- · Four port spray
- · Plasmatec coating for perfect grip
- · Ceramic ball bearings
- · Powerful illumination. Glass rod light conductor
- KaVo & Sirona fitting
- · 2 year warranty

KAVO-M9000L

(Only £665 each) RRP £1,492

NSK

£886

#### EXPERTtorque E680L

- Quiet, vibration-free operation (65 dB)
- 18 Watt power
- KaVo original ceramic ball bearings
- KaVo pushbutton chuck system (up to 30 N retention power)
- Compact head casing (height: 13.6 mm/Ø:12.5 mm)
- 4 port spray for optimal cooling
- Replaceable micro water filter KaVo MULTIflex coupling system
- Can be sterilised in an autoclave up
- to 135°C
- KaVo & Sirona fitting 18 month warranty

KAVO-E680L

KAVO-E680L-DUOPK

RRP £1.118

## **SMARTtorque S619L**

- Quiet, vibration-free operation **K4VO** (65dB)
- 16 Watt power at only 2.8 bar
- KaVo pushbutton chuck system (30 N retention power)
- Compact head casing (height: 14.5 mm/Ø: 12.5 mm)
- 4 port spray for optimal cooling
- Can be sterilised in an autoclave up to 135°C
- LUX glass rod fibre-optic
- KaVo fitting
- 12 month warranty

KAVO-S619L

RRP £719

£439

#### Ti-Max Z900KL

- Standard Head
- Power 26 W
- Rotation 320,000-400,000 min-1
- Head Size Ø12.5 x H 13.1 mm
- · Water Spray Ouattro Spray
- Titanium Body Coating
- · Cellular Glass Optics · Ceramic Bearings
- · Push Button Chuck
- Microfilter • Fits Kavo, NSK, W&H, Bien Air, Sirona
- 3 years warranty NSK-P1113001

RRP £1,068 £854

1FREE

(Only £570 each)

#### S-Max M900L

Buy 3 get

1FREE

- Standard Head Slim design with stainless steel body
- Speed: 325,000-430,000
- Head size: 12.1mm diameter x 13.3mm height
- 26W power
- · Standard head
- NSK, Sirona, W&H, Bien-Air
- · 2 years warranty

NSK-P1254001 **RRP £747** 

£546

Buy 3 get 1FREE

## S-Max M900KL

- Standard Head Slim design with
- stainless steel body Speed: 325,000-430,000 min-1
- Head size: 12.1mm diameter x 13.3mm height
- 26W power
- · Standard head
- · KaVo fitting only
- 2 years warranty NSK-P1258001

RRP £747 £393

#### Pana-Max 2

- Non optic
- Rotation 350,000-450 000 min-1
- Head Size Ø11.2 x H 13.4 mm
- Water Spray Single Spray
- Stainless Steel
- Ceramic Bearings
- Push Button Chuck
- · Interchangeable Cartridge Fits KaVo & NSK
- 1 year warranty Buv 1 get

NSK-P1212001 RRP £464

1FREE (Only £232 each)

## Synea Vision TK-98L

- Ring LED+,
- 5-hole spray,
- Head size Ø 11,5 mm,
- 21 W. 360,000 rpm. FG burs Ø 1.6 mm for bur lengths up to 25mm
- Ceramic ball bearings, Coupling system Roto Quick
- WH-30019000



## Synea Fusion TG-98LM

- · 4 port spray
- Head size Ø 11,5mm,
- 19 W, 360,000 rpm,
- FG burs Ø 1.6mm for bur lengths up to 25mm
- · Compact glass rod, ceramic ball bearings, Coupling system Multiflex, NSK & Rotoquick

WH-30003000











Web: www.dmi.co.uk Call: 028 9260 1000

Email: info@dmi.co.uk

# **CONTRA ANGLES 1:1 RATIO (BLUE)**















WH-30009000







Alegra WE-56

Non optic/no spray
Contra-angle handpiece 1:1
Push-button chuck system
For contra-angle burs with Ø 2.35 mm (ISO 1797-1)
Drive speed: 40,000 min-1
Outer diameter of the sheath: 20 mm
Head size: Ø 10.1 mm
Head height (with 19 mm bur): 20.8 mm

WH-30116000

Call: 028 9260 1000 Web: www.dmi.co.uk Email: info@dmi.co.uk

# **SPEED INCREASING CONTRA ANGLES 1:5 (RED)**

Dentsply

#### T1 C200L

- · Longer service life thanks to Diamond like Carbon coated ball bearings
- · Optimal illumination for an excellent view
- . 1:5 ratio has four hole spray
- · 3 year warranty

SIR-3328452 Model: C200L 1:5 Ratio (Red)

RRP £1,343 Now £747



Dentsply

Sirona

#### **T2 A200L**

- · Robust ceramic ball bearings
- Pleasant and easy to grip thanks to its titanium sleeves
- · Optimal illumination for great visibilit during treatments
- 1:5 ratio has four hole spray
- 2 vear warranty

SIR-6376177 Model: A200L 1:5 Ratio (Red)

RRP £941 Now £621



#### T3 E200

- · Contra-Angle Red
- Ratio 1:5
- Non optic
- Spray 4N
- · Ceramic bearings
- Head Diameter 8.7 • Head Height 14.6
- RPM 200,000
- 1 year warranty

SIR-6392679

RRP £754 Now £525



#### **MASTERmatic M25L**

- Speed increasing handpiece ideal for crown and veneer preparation
- 1:5 speed increasing ratio
- Extremely quiet Only 55dB
- Features Direct Stop Technology
- No suck back. Replaceable spray microfilter
- · Three port spray
- Plasmatec coating for perfect grip
- · Ceramic ball bearings
- Powerful illumination · 2 year warranty
- KAVO

KAVO-M25L RRP £1.685 £964

Buy 3 get 1FREE (Only £723 each)

#### **EXPERTmatic E25L**

- Speed-increasing handpiece transmission 1:5 (red)
- Fast and precise working thanks to even smaller head and ceramic bearings
- Best reliability thanks to internally conducted spray water and air, 3-port spray, and replaceable water filter
- Perfect lighting thanks to the 25,000 Lux glass rod light conductor
- Better Grip
- 18 month warranty

KAVO-E25L-DUOPK KAVO-E25L

RRP £1,238 £738



#### **EXPERTmatic E25C**

- Speed Increasing 1:5
- Weight < 77g
- · Chuck retention force: up to 30N
- Universal "E" type connection
- Better grip due to KaVo EXPERTgrip
- · 3-ports spray
- · New: Use of high-end and robust stainless steel head
- Compatible with INTRAmatic 181 M
- Non optic
- 18 month warranty

KAVO-E25C RRP £1052

£682

KIVO

for £512

#### Ti-Max Z95L Switch

- Optic contra-angle
- 1:5 Increasing
- Quattro spray
- · Ceramic ball-bearings
- World first switch between water and spray on handpiece
- · 3 year Warranty



NSK-C1034001SW

£1.112



## S-Max M95L

- 1:5 Increasing
- Max Speed 200,000 min-1
- Head Size Ø9.9 x H 14.5 mm
- For FG Burs (Ø1.6)
- · Body Material Stainless Steel
- · Water Spray Quattro Spray
- Optic
- 2 year warranty



NSK-C1023001

£735



Buy 3 get 1 FREE

## S-Max M95

- Non Optic
- 1:5 Increasing
- Max Speed 200,000 min-1
- Head Size Ø9.9 x H 14.5 mm
- For FG Burs (Ø1.6)
- · Body Material Stainless Steel
- · Water Spray Quattro Spray
- · 2 year warranty



NSK-C1026001 £596

Buy 3 get (Only £447 each)

#### EV0.151:5L

- · Standard or Micro Series
- Small head (10% smaller)
- CoolTouch+™ heat-arresting technology
- Shockproof head
- 55 dBA
- · Multi-strand optical glass technology
- · Up to 3 years warranty

BIEN-1600940-001 Micro Series BIEN-1600941-001 Standard



#### **CA 1:5 L**

- · Standard or Micro Series
- · Multi-strand optical glass technology • 58 dBa
- Cool TouchTM
- Up to 3 Years Warranty

BIFN-1600386-001 Standard BIEN-1600690-001 Micro Series



# **AIR MOTORS**

#### AM1006 with LED

- · Chrome coating
- LED Light
- 5,500 K colour temperature
- 20,000 rpm non-load speed
- · Left and right direction of rotation
- Internal snrav
- · 6-pin tubing
- 1 year warranty

MKDE-AM1006

£339



#### 181L with LED

- Speed range up to 20,000 rpm
- Forward / reverse speed adjustment
- Internal air / water coolant6-pin connection
- · Fits all attachments optic or non-optic with Universal "E" type connections
- 2 year warranty

KAVO-1811

£897



#### **AM-25RM**

- Non optic
- No spray
- New integrated 360° rotation
- Mid west connection
- 1 year warranty





## **AM0004** Max. 20 000rpm

- · No spray
- Standard INTRAmatic® connection
- · Suitable for all common instruments
- · Non fibre optic 1 year warranty

MKDE-AM0004 £175



# **STRAIGHT HANDPIECES 1:1 RATIO**

# Allegra HE-43

- For handpiece and contraangle burs with Ø 2.35 mm (ISO 1797-1)
- Drive speed: 40,000 min-1
- Outer diameter of the sheath: 20 mm
- · Non optic
- · No spray
- 1 year warranty

WH-30119000

£109





KAVO

- Stainless steel
- · Bur fastening via push button
- · For use with burs with a 2.35mm diameter stem
- Max. speed: 40,000rpm
- No spray
- No optic
- · 1-year warranty

Dentsply Sirona SIR-6401843

£136



· Max. drive operating speed: 40.000

 Non optic No spray

• 1 year warranty

Kavo-S10 £154

KAVO



## FX65M

- 1:1 Straight
- No spray
- Max Speed 40,000 min-1
- No sprav
- Non ontic
- 1 year warranty

NSK-H1014001

**Buy 1 get** 1 FREE (Only £126 each)

# **COUPLINGS FOR KAVO TYPE TURBINES**

# **KaVo Multiflex 465LED**

- · LED Optic with water control
- · With 4-hole standard connections
- · Rotary ring spray regulation with multiple indent locking positions
- Non-return valve (water)
- 1 vear warranty

Kavo-465LED £297





## **KaVo Multiflex 465LRN**

- · Optic with water control
- . With 4-hole standard connections
- New lamp holder
- Rotary ring spray regulation with multiple indentlocking positions
- · Non-return valve (water)
- 1 year warranty Kavo-465LRN

£253





# **KaVo Multiflex** 465RN

- With 4-hole standard connections
- Rotary ring spray regulation with multiple indent locking
- Non-return valve (water)
- · 1 year warranty

Kavo-465RN £160





# **KaVo Multiflex 460LED**

- LED Optic
- No water control
- 1 year warranty



Kavo-460LED £165



# **KaVo Multiflex** 460E

- Non ontic
- No water control
- 1 year warranty

Kavo-460E £111





#### MK DENT Multiflex

- 6 hole quick connector with LED
- · With water control
- 1 year warranty



MKDE-OC6016KW



## MK DENT Multiflex

- 6 hole quick connector with LED
- No water control
- 1 year warranty






MKDE-QC6016K £149

# **COUPLINGS FOR W&H TYPE TURBINES**

# **RQ-34**



- Flexible Free 360° instrument rotation · Continuous regulation of the
- spray water supply Roto Quick non-retraction valve
- 1 year warranty

WH-10403400 £160



- **R0-24**
- Optic · No water control
- 1 vear warranty

WH-10402400



## **R0-14**

- Non optic
- · Water control
- Free 360° instrument rotation

**W&H** 

- · Continuous regulation of the spray water supply
- · Roto Quick non-retraction valve
- WH-10401400



# **RQ-04**



• 1 year warranty



1 vear warranty

Web: www.dmi.co.uk

WH-10400400

# Call: 028 9260 1000

# HANDPIECE MAINTENANCE/AIR POLISHERS

#### Sirona LED coupling

- Optic
- · 1 year warranty

SIR-6319706



#### **Coupling for NSK - PTL CL**

- · LED optic coupling
- · No water control
- 1 year warranty

NSK-P1001600



# **QUATTROcare Plus 2124A**

The cost-efficient solution for optimum care and long-term maintenance of handpieces.

- · Cleans 3 slow and 1 fast handpiece or 2 fast and 2 slow handpieces
- · Only one-minute care cycle
- · Program-controlled, automated care process
- · Optimum lubrication, thanks to automatic, outlet-specific, metered dosing
- Fasy handling
- · No leakage of excess residual oil from handpiece
- Modern and ergonomic design

## Get 6 free cans of Quattrocare Oil + 1 extra Multiflex adaptor

KAVO-1-008-3805







RRP £2,205 **£1,517** 

# PROPHYflex 4 Air Polisher Box

- Easy to use Two handpieces in one perfect for supragingival and subgingival applications - Whether for prophylaxis or periodontology, fissure sealing, aesthetic dentistry, prosthetics or orthodontics.
- it can be used on any teeth, any patient and almost any indication
- PROPHYflex 4 is available in three fresh and exciting colors, each available as a MULTIflex coupling or Sirona coupling option

ach PROPHYflex Box includes:

# KAVO

Kavo-1-013-5078 Blue

Kavo-1-013-5079

Lime

Kavo-1-013-5080 Flamingo

£1,054

#### 1x PROPHYflex 4 Air Polisher

- 1x PROPHYpearls neutral (80 sticks)
- 1x PROPHYpearls selection (80 sticks)
- 1x Kerr OptiView Standard Kit (2 pcs)

#### Perio Box

Enables sub gingival cleaning

Contains: 1 perio kit, 1 perio powder (4 x 100g), Kavo-1-013-5081 1 Kerr perio probe (2pcs)

# RONDOflex plus 360

- Highly efficient, clean work, light-weight and accurate
- Gentle treatment without drilling, without injection, without noise, without vibrations. Pleasant for your patient, particularly for sensitive patients and children
- Incomparable flexibility through problem-free use at various workplaces thanks to MULTIflex coupling: simply push on and start.
- Includes 2 cannulae.

RRP£1,741

KAVO-1-002-2179



# **NSK iCare**

- · Cleans 4 Handpieces
- · Internal cleaning and lubrication
- Chuck cleaning function ensures that the chuck is thoroughly cleaned and lubricated
- · Purging select mode ensures complete removal of excess oil
- Integrated large oil tank (1.2 litre) reduces burden of refill 28cm (W) X 24cm (D) X 35cm (H)
- · Air Line Required

NSK-Y1002787

£1.286



# **Prophy-Mate Neo**

- Air Powered Tooth Polishing System
- Twin nozzle
- · Comfort design
- Twin joints rotate smoothly 360° degrees for easy operability
- One touch operation
- Selectable 60° and 80° nozzles
- The handpiece can be washed in the thermodisinfector
- Autoclavable up to 135°C
- · Fits KaVo, NSK, Sirona, W&H, Bien Air



Call: 028 9260 1000 Web: www.dmi.co.uk Email: info@dmi.co.uk

## **Universal Oil Spray**

- High-quality universal care for all KaVo contra-angles, handpieces, turbines, heads and air motors
- Ensures a long life for all KaVo instruments
- · Environmentally friendly propellent

• 500ml



KAVO-0-411-9640

£27.49



## Quattrocare Plus Oil Spray

- Designed to clean, lubricate and purge your instruments
- Maintenance spray for KaVo turbines, air motors, straight and contra-angle handpieces
- Only for use in the QUATTROcare handpiece oiler
- 500ml

KAVO-1-011-5720

£27.49



**K4V0** 

#### Oil Nozzle Intra (Slow handpieces)

 Handpiece lubricating oil spray nozzle for slow handpieces

£7.95

KAVO-0-411-9911



# Oil Nozzle Multiflex (Fast handpieces)

 Handpiece lubricating oil spray nozzle for fast handpieces

KAVO-0-411-9921



## Oil Spray

- For use with all types of handpiece
- · Non-toxic and non-allergenic
- · No odour or taste
- Good wetting capacity to cover all internal moving parts
- · Heat resistant and does not evaporate
- 500ml

PEGA-100111

£11.10



## T1 Oil Spray

- Universal cleaning and lubricating oil for the preservation and disinfection of dental instruments
- 250ml

SIR-5901665



£39

£7.95



## F1 Service Oil Spray MD

- Superior lubrication
- Fully sterilizable, absolutely resistant to hydrolysis
- F1 Oil works with turbines, straight and contra-angle handpieces, surgical instruments, air scalers and air motors
- 400ml

WH-10940021

£36.95



# Oil Spray Nozzle -

#### **Fixed Connection**

- Spray Cap With Nozzle
- Chuck system for turbines and contra-angle handpieces as well as turbine handpieces and air motors with fixed connection

WH-02036100

£5.95

## Oil Spray Nozzle -Slow Handpieces

- Spray cap for W&H F-1 service oil
- For slow handpieces

WH-02038200

NSK-Z182100

£5.95



## Oil Spray Nozzle -Fast Rotoquick Connection

Spray cap with nozzle for all W&H turbines,

air motors and scalers with ROTO QUICK connection

WH-02229200

£15.92



## Pana Spray Oil

 PANA SPRAY Plus is a specially formulated, highly effective general handpiece and air motor lubricant.



£29.43



## iCare Maintenance Oil

- Specially formulated maintenance oil provides for the highest levels of cleaning & lubricating of handpieces
- 1000ml



£84.39



NSK-Z016130

Call: 028 9260 1000 Web: www.dmi.co.uk Email: info@dmi.co.uk

# Woodpecker O - Star

#### The Ultimate Curing Expert

- · Performs light curing in 1 second
- Longer wavelength: 385 515 nm
- It includes a light intensity meter which is located in the charging base
- It has 7 different work modes: normal, high intensity, turbo, ortho, soft, pulse and verification
- Light intensity: up to 3000mw/cm<sup>2</sup>
- Small, rotating head allows you to reach all angles of the mouth and reach the back teeth without difficulty

  £495

WOOD-OSTAR



# **Woodpecker iLED**

#### **Curing Light**

- Ergonomic curing light with 360° rotating head
- Fast Cures up to 2mm in just one second
- Light intensity up to 2300mw/cm<sup>2</sup> with constant power output
- Power input: AC100V-240V
- Light output intensity: 1000 mW/ cm2~2500mW/cm2
- Time Sets: 5-20 Seconds
- Operation Mode: turbo mode, normal mode
   WOOD-ILED



# **Woodpecker LED.H ORTHO**

#### Specially designed for Orthodontics

- Specially designed for orthodontics. In just 3 seconds the brace solidifies
- · Short, powerful cycles without overheating
- Constant work without losing intensity, for a complete curing of the resins
- Light and easy to use, with a rechargeable battery
- The new bevelled light guide design can easily reach any tooth and radiate vertically at any angle
- Includes a light intensity meter

WOOD-LED.H.ORTHO

£195

# WOODPECKER

# **Woodpecker LED.H**

#### Specially designed for Orthodontics

- Woodpecker LED-H Light Curing Lamp provides reliable light curing of any type of material
- It is a light weight lamp, which will allow you to use it during a large part of your professional daily activity, without causing fatigue
- Three working modes: Normal, ramp or intermittent
- High-capacity battery with charge duration for 200 continuous light-curing cycles

WOOD-LED.H

£160



## **Sine Wave Reservoir Scaler**

- Ultrasonic cleaning device with a handpiece type EMS without light
- Dismountable and sterilizable table-top model
- Modern design with touch control and waterproof
- · Scaler, perio and endo function
- Modulates sinus waves, allowing the best treatment with maximum comfort

#### Includes

7 tips: 1 x G4 supragingival scaler tip

- 1 x G12 supragingival scaler tip
- 1 x P1 Periodontal scaler tip
- 1 x P3 Periodontal scaler tip 1 x P8 Periodontal scaler tip
- 2 x E6 Endodontic scaler tip





# Ultrasonic UDS-N2 Scaler

- Built in ultrasonic scaler (compatible with A-dec and Belmont units)
- The handpiece is detachable and can be autoclaved to 135°
- The UDS N2 instrument is compatible with the EMS system compatible tip and inserts



200

Price includes installation

# **DTE-D7 Piezo Scaler**

#### Satelec Type

- Assembled with excellent piezoceramic, the handpiece has high and lasting power and generates little heat.
- Eliminates dental calculus, bacterial plague and tea scales on the teeth quickly without hurting the gum or the enamel.
- Light weight, easy to operate.
- Compatible with Satelec hand piece and tips.

# Replacement Handpieces

Woodpecker/EMS Type wood-Hw-3H £145 Woodpecker U600 Handpiece wood-Hw-6 £145 Woodpecker/EMS Type LED wood-Hw-5L £160 DTE/Acteon Satelec Type LED DTE-HD-7H £145

# **Replacement Wrenches**

Woodpecker/EMS Type wood-Tw-IL £10.50 Sirona Type wood-Ts-IL £13 DTE/Acteon Satelec Type DTE-TD-IL £10.50 Satelec Type DTE-TD-2L £13



# **Replacement Tips**

WOOD-UDS-N2

Woodpecker/EMS Perio P1 wood-P1 Perio P3 wood-P3 Perio P4 wood-P4 Scaling G1 wood-G1 DTE/Acteon/Satelec Perio PD1 DTE-PD1 Perio PD3 DTE-PD3 Scaling GD1 DTE-GD1 Scaling GD4 DTE-GD4

£18

Call: 028 9260 1000 Web: www.dmi.co.uk

Email: info@dmi.co.uk