



October - December 2023

Promotions



COLTENE
rewards.coltene.com

SEE PAGES 2 & 3



Sign up to
the COLTENE
newsletter
and keep
up to date.



NEW CanalPro X-Move
P. 10-11



ParaPost Offers
P. 16



DIATECH Offers
P. 29-31

Introducing COLTENE Rewards

Our new loyalty programme to say thank you

We value your loyalty and our new rewards programme is our way of showing you that it's more than just words.

- Sign up now and earn FREE COLTENE Coins before you even start.
- The more you buy, the more you benefit, it really is that simple!
- Get more bang for your buck by increasing your membership level.
- Maximise your earning potential with new and imaginative campaigns.

Sign up now and start getting something back for buying Coltene brands.



SIGN UP AND GET
500 COINS FREE!



Spin to Win!

With our current Spin to Win campaign, you can earn instant rewards just by uploading invoices!

Spin to Win is a fun way to earn rewards. Our campaigns and promotions are always evolving, offering you new, imaginative and fun ways to earn more Coins.

Did you know that these are all COLTENE brands?

Speedex CanalPro
BRILLIANT One Coat AFFINIS ParaPost
HANEL ParaCore BioSonic HyFlex
MicroMega HYGENIC ROEKO PRESIDENT
SciCan DIATECH

 **COLTENE**
rewards.coltene.com

TOOTH ISOLATION



HySolate Dental Dam

NEW

Powder-free, low protein

The HySolate Dental Dam is made of pure, natural rubber latex and is powder free; a simple and clever way to reduce the risk of developing latex hypersensitivity.

The advantages of using a dental dam

- Increases visibility on the treatment site through isolation
- Acts as an infection control barrier
- Creates a dry operating field

The advantages of using HySolate

- Reduces the risk of developing latex hypersensitivity.
- Lighter colours naturally illuminate the operating field.
- Darker colours help with visual contrast.

A
clever
move
in tooth
isolation

HySolate Dental Dam

NEW

- Pre-printed to reduce working steps
- Black colour for ultimate contrast
- Less hypersensitivity – low protein and powder free latex dam

OFFER

4+1*

ONLY PACK SIZE
152 x 152,
36pcs.



HySolate Dental Dam

REF 60034424	Light thin 127 x 127	52 pcs
REF 60034425	Light medium 127 x 127	52 pcs
REF 60034426	Light heavy 127 x 127	52 pcs
REF 60034427	Light thin 152 x 152	36 pcs
REF 60034428	Light medium 152 x 152	36 pcs
REF 60034429	Light heavy 152 x 152	36 pcs
REF 60034430	Light x-heavy 152 x 152	36 pcs
REF 60034432	Light medium 127 x 127	364 pcs
REF 60034431	Light medium 152 x 152	360 pcs
REF 60034414	Green thin 127 x 127	52 pcs
REF 60034415	Green medium 127 x 127	52 pcs
REF 60034416	Green heavy 127 x 127	52 pcs
REF 60034417	Green x-heavy 127 x 127	52 pcs
REF 60034418	Green thin 152 x 152	36 pcs
REF 60034419	Green medium 152 x 152	36 pcs
REF 60034420	Green heavy 152 x 152	36 pcs
REF 60034421	Green x-heavy 152 x 152	36 pcs
REF 60034422	Greenmedium 127 x 127	364 pcs
REF 60034423	Green medium 152 x 152	360 pcs
REF 60034442	Blue medium 152 x 152	36 pcs
REF 60034443	Blue heavy 152 x 152	36 pcs
REF 60034441	Blue medium 127 x 127	364 pcs
REF 60034439	Assorted medium 127 x 127	364 pcs
REF 60034440	Assorted medium 152 x 152	360 pcs
REF 60034433	Fiesta assorted thin 152 x 152	36 pcs
REF 60034436	Fiesta assorted medium 152 x 152	36 pcs
REF 60034438	Fiesta assorted heavy 152 x 152	36 pcs
REF 60034434	Fiesta assorted thin 127 x 127	52 pcs
REF 60034435	Fiesta assorted medium 127 x 127	52 pcs
REF 60034437	Fiesta assorted heavy 127 x 127	52 pcs
REF 60031351	BLACK thin 152 x 152	36 pcs
REF 60031352	BLACK medium 152 x 152	36 pcs
REF 60031353	BLACK heavy 152 x 152	36 pcs
REF 60031354	BLACK x-heavy 152 x 152	36 pcs
REF 60031355	BLACK medium 152 x 152	360 pcs

LEARN MORE



Samples available – Ask your Territory Manager

- REF 60033845 Sample HySolate Dental Dam Green medium 152 x 152, 2 pcs
- REF 60036125 Sample HySolate Dental Dam BLACK EDITION pre-printed medium 152 x 152, 2 pcs

CanalPro SyringeFill

Smart colour-coded syringes for safe root canal irrigation

Modular system for safe and efficient filling of syringes with endo irrigating solutions. The colour coding of the CanalPro irrigation solution system simplifies handling and ensures safe treatment workflows, even in stressful situations. CanalPro SyringeFill is available in two versions. Once as CanalPro SyringeFill Station with a free-standing station consisting of base and bottle carrier in a stainless steel construction. In addition, it is also available as CanalPro SyringeFill Holder with a bottle carrier for wall mounting in a stainless steel construction.

- Protects against contamination
- Improved safety by colour coding to minimise the risk of syringe mix-up
- Time-saving one-hand use
- Prevents loss of material
- Available as a free-standing station or as a holder with bottle carrier for wall mounting



OFFER
15%
OFF RRP*

SyringeFill Station
free standing - REF 60031347

SyringeFill holder
wall mount - REF 60031348



PLUS UK OFFER
FREE SYRINGES

50 × 5ml (Red) REF 60019321

OR 50 × 10ml (Red) REF 60011173

with each SyringeFill

UK SPECIAL PROMOTION
Copy invoice required.
Send to info.uk@coltene.com

CanalPro Irrigation Solutions

Irrigation solutions are used to help dissolve vital and necrotic tissue, eradicate bacteria and other microorganisms, remove the smear layer, and lubricate the canal system.

As no single irrigation solutions exists that can accomplish all of the above goals, multiple solutions should be used during clinical treatment. Sodium hypochlorite (NaOCl), ethylenediaminetetraacetic acid (EDTA), and 2% Chlorhexidine (CHX) are commonly used for chemical debridement during the process of canal preparation.



CanalPro NaOCl

3% or 6%

For irrigation/debridement of root canals during and after treatment
Available in 3% and 6% formula

500ml - 3% - REF 60019655
500ml - 6% - REF 60019656



CanalPro EDTA 17%

17% EDTA solution (pH 8.5)

Removes smear layer and dentin mud

Opens dentin tubules for:
- Disinfection solutions to work better
- Better adhesion of sealers and obturation materials

500ml - REF 60019651



CanalPro CHX 2%

2% chlorhexidine digluconate solution

Substantive

Very effective against *E. faecalis* and fungal

500ml - REF 60019658

Debridment / Root canal shaping

MicroMega HandFiles

FULL RANGE
OF FILE SIZES
AVAILABLE
PLEASE ASK
YOUR TERRITORY
MANAGER

06 REF 60029655
Length: 25mm

08 REF 60029658
Length: 25mm

10 REF 60029661
Length: 25mm

15 REF 60029664
Length: 25mm

20 REF 60029667
Length: 25mm

25 REF 60029670
Length: 25mm

06 REF 60029718
Length: 25mm

08 REF 60029721
Length: 25mm

10 REF 60029724
Length: 25mm

15 REF 60029727
Length: 25mm

08 REF 60029781
Length: 25mm

10 REF 60029784
Length: 25mm

15 REF 60029787
Length: 25mm

- Pre-sterilised, ready-to-use files
- Guaranteed sterilisation in compliance with regulatory standards

LEARN MORE



MicroMega K-Reamers

Pre-sterilised instruments
Blisters of 6 HandFiles



OFFER

10+10

Buy 10 refill packs - get 10 FREE!
(Only from your Territory Manager)

MicroMega K-Files

Pre-sterilised instruments
Blisters of 6 HandFiles



MicroMega H-Files

Pre-sterilised instruments
Blisters of 6 HandFiles



MicroMega One Curve mini

MicroMega One Curve Classic rotary endodontic files have undergone an upgrade and is now titled MicroMega One Curve mini.

The use of a 1mm throughout the length of the file results in an improved reduction in tissue loss during treatment. With matching MicroMega GP and Paper points this new version replaces the Classic

- Preserving pericervical dentin
- Removing minimum of tooth structure
- Respecting the root canal anatomy
- Creating optimal space for a deep disinfection and a proper obturation

"Overall, I am very happy with the MicroMega One Curve mini 4%. It is a safe, efficient and easy to use file that is ideal for shaping root canals with a conservative taper".



Dr Nicolai Orsteen
Specialist in Endodontics
Root Canal Dental Referral Centre
Richmond, London

One Curve mini

REF 60030017	n25 4% L21 Sterile
REF 60030028	n45 4% L31 Sterile
REF 60030027	n35 4% L31 Sterile
REF 60030026	n25 6% L31 Sterile
REF 60030025	n25 4% L31 Sterile
REF 60030024	n45 4% L25 Sterile
REF 60030023	n35 4% L25 Sterile
REF 60030022	n25 6% L25 Sterile
REF 60030021	n25 4% L25 Sterile
REF 60030020	n45 4% L21 Sterile
REF 60030019	n35 4% L21 Sterile
REF 60030018	n25 6% L21 Sterile

LEARN MORE



NOVEMBER
**PRODUCT OF
THE MONTH**
Ask Your
Territory Manager

NEW

CanalPro X-Move

The wireless CanalPro X-Move endomotor provides two movement modes, a full rotating and a reciprocation motion for all common file systems. The motor stands for simple handling and great flexibility.

Features & Benefits


- Continuous rotation and a reciprocation motion for all common file systems
- Wireless endomotor for easy and flexible operation
- Integrated apex locator for safe and efficient treatments
- Insulated contra angle with super mini-head and slim neck provides convenient usage and free field of view
- Intuitive control display for easy handling
- Pre-programmed settings for COLTENE file systems saves preparation time



Normal contra angle head & neck



CanalPro X-Move contra angle super mini-head & slim neck



Technical Specifications

- Contra angle: 360 degrees rotation
- Torque range: 0.4 – 5.0 Ncm
- Speed range: 100 – 2500 rpm
- Adjustable reciprocating angle: 10° interval
- Adjustment range 20° – 400°
- Mini insulated contra angle with diameter of 8 mm and a height of 9.7 mm



User Menu

CanalPro X-Move Box REF 65002739

- Contents:
- 1 × Motor Handpiece
 - 1 × Charging Base
 - 1 × Contra Angle
 - 1 × Spray Nozzle
 - 1 × Measuring Wire
 - 4 × File Holder
 - 2 × Lip Clip
 - 2 × Touch Probe
 - 2 × "O" ring
 - 1 × Power Adapter
 - 1 × Battery

The Motor – stronger power, lower noise

- Adjustable reciprocation angles for higher preparation efficiency
- Lower noise levels due to smooth rotation provides higher treatment comfort
- High performance brushless motor
- Control display for easy handling

**Ask your Territory Manager
for a demonstration**

LEARN MORE



Electrical Discharge Machining

HyFlex EDM

Stays on track

Manufactured from Nickel-Titanium alloy with Controlled Memory (CM) heat treatment, HyFlex EDM files allow multiple regeneration and reuse. Due to their innovative manufacturing process using electric discharge machining HyFlex EDM files have a unique surface and stand out by their durability and high fracture resistance. The entirely unique combination of flexibility and fracture resistance makes it possible to reduce the number of HyFlex EDM files required for cleaning and shaping during root canal treatments without having to compromise preservation of the root canal anatomy. Like stainless steel files, the HyFlex EDM files can be pre-bent. This is a crucial advantage in extremely curved root canals to avoid the creation of steps.

- Treats 80 % of all cases with the one file
- Designed for successful centered canal preparation
- Multiple regeneration and reuse
- Specially hardened for safer application
- High flexibility
- Extreme resistance to fracture

Simplicity + quality equals endodontic excellence

"The provision of successful endodontic treatment can be achieved by using simple procedures and techniques alongside high-quality tools and materials.

The use of COLTENE HyFlex EDM rotary files alongside the matching Guttapercha and Paper Points provides a reliable and reproducible way to shape and obturate root canal systems. ROEKO GuttaFlow bioseal (from COLTENE) provides a biocompatible apical seal that promotes safe, stable healing.

I would recommend COLTENE to colleagues".




Dr. Sagi Shavit
DMD, MSc(Endodontology),
MFGDP(UK), Dip.Dent.Imp



Pre-Sterile
for safer application

High Fracture resistance
Uniquely hardened surface
reduces risk of file separation



HyFlex EDM Files

Refill packs - x3 files

Orifice Opener 25/.12

21mm -
25mm -
15mm REF 60019596



Glide Path File 10/.05

21mm REF 60022269
25mm REF 60019594
15mm -



Preparation file 20/.05

21mm REF 60022275
25mm REF 60022276
15mm -



OneFile 25/~

21mm REF 60022270
25mm REF 60019595
15mm -



HyFlex EDM Finishing Files

Refill packs - x3 files
Finishing File 40/.04
REF 60019597



Finishing File 50/.03

REF 60019598



Finishing File 60/.02

REF 60019599



HyFlex EDM Glide Path Files

NEW FILE FOR COMPLEX CANALS



Glide Path HyFlex EDM File 15/.03 GPF is a very secure solution for complex anatomies of the root canal.

- Easy instrumentation of very narrow canals
- Uncomplicated preparation with a limited field of vision in very narrow canals
- For creating a glide path in difficult anatomy

HyFlex EDM Glide Path File 15/.03, 21 mm

REF 60023493 3 x 15/.03

HyFlex EDM Glide Path File 15/.03, 25 mm

REF 60023492 3 x 15/.03

HyFlex EDM Kits

Simple shaping kit

21mm REF 60022267
25mm REF 60019363

1 x Orifice Opener 25/.12



1 x Glide Path File 10/.05



1 x OneFile 25/~



Medium shaping kit

21mm REF 60022277
25mm REF 60022278

1 x Glide Path File 10/.05



1 x Preparation File 20/.05



1 x OneFile 25/~



HyFlex EDM Finishing Kit (Optional)

REF 60019364

1 x 40/.04



1 x 50/.03



1 x 60/.02



NOVEMBER
PRODUCT OF
THE MONTH

Ask Your
Territory Manager

LEARN MORE



FULL RANGE
OF SIZES
AVAILABLE
PLEASE ASK
YOUR TERRITORY
MANAGER

Digital assistance system for canal preparation

CanalPro Jeni

Autonomous "navigation" in the endo canal owing to revolutionary software

The new CanalPro Jeni endomotor has a patent-pending digital assistance system for canal preparation, which uses complex algorithms to control the file movement at millisecond intervals. The rotary motion and speed are continuously controlled based on current intensity and torque.

Different routes, obstacles and situations

CanalPro Jeni is named after its developer Prof. Dr. Eugenio Pedullà and guides you safely through the traffic like a navigation system. As such, the Jeni system automatically adapts to the individual root canal anatomy, working in unison with the mechanical and chemical preparation every step of the way.

Includes pre set programme settings for HyFlex and MicroMega rotary files

Ask about our
**JENI MOTOR
LOYALTY
SCHEME**

Ask your Territory Manager
for a demonstration

LEARN MORE



CanalPro Jeni, complete set
REF 60023659

includes:

- 1 × Control unit
- 1 × Motor with apex measuring contact
- 1 × Fully insulated angled handpiece 1:1
- 1 × Bluetooth foot switch
- 1 × Power supply
- 1 × Apex cable set
- 1 × Holding bracket for apex cable

"I use the files in combination with COLTENE's new CanalPro Jeni motor with integrated apex locator. The motor is smooth and efficient, and the audible signals provides the clinician with a regular reminder of the importance of constant irrigation. The Jeni has an integrated locator, useful as it provides information regarding the positioning of rotary files within the canals at all times, which could potentially reduce the incidence of overpreparation."



Dr Dhiraj Arora
BDS MJDF RCS(Eng) MSc (Endo) PG Cert CE

Jeni – ready – go!

ParaPost System

A complete range of posts for direct and indirect indications

- Global market leader in post systems
- Proven clinical success with more than 50 studies
- More than 55 years of expertise
- One-office-visit and laboratory techniques
- Endo meets Resto – complete system with core-build ups and cements



OFFER
3+1*
ON REFILLS
OCTOBER & NOVEMBER ONLY

LEARN MORE



OFFER INCLUDES

REF PF1613	ParaPost Fiber White Posts Size 3	5 pcs	REF P7463	ParaPost XP Titanium Temporary Posts (.036"/0.90mm)	20 pcs
REF PF16145	ParaPost Fiber White Posts Size 4.5	5 pcs	REF P7464	ParaPost XP Titanium Temporary Posts (.040"/1.00mm)	20 pcs
REF PF1615	ParaPost Fiber White Posts Size 5	5 pcs	REF P74645	ParaPost XP Titanium Temporary Posts (.045"/1.14mm)	20 pcs
REF PF16155	ParaPost Fiber White Posts Size 5.5	5 pcs	REF P7465	ParaPost XP Titanium Temporary Posts (.050"/1.25mm)	20 pcs
REF PF1616	ParaPost Fiber White Posts Size 6	5 pcs	REF P74655	ParaPost XP Titanium Temporary Posts (.055"/1.40mm)	20 pcs
REF PF1713	ParaPost Fiber Lux Posts Size 3	5 pcs	REF P7466	ParaPost XP Titanium Temporary Posts (.060"/1.50mm)	20 pcs
REF PF1714	ParaPost Fiber Lux Posts Size 4	5 pcs	REF P7467	ParaPost XP Titanium Temporary Posts (.070"/1.75mm)	20 pcs
REF PF17145	ParaPost Fiber Lux Posts Size 4.5	5 pcs	REF P7513	ParaPost XP Plastic Burnout Posts (.036"/0.90mm)	10 pcs
REF PF1715	ParaPost Fiber Lux Posts Size 5	5 pcs	REF P7514	ParaPost XP Plastic Burnout Posts (.040"/1.00mm)	10 pcs
REF PF17155	ParaPost Fiber Lux Posts Size 5.5	5 pcs	REF P75145	ParaPost XP Plastic Burnout Posts (.045"/1.14mm)	10 pcs
REF PF1716	ParaPost Fiber Lux Posts Size 6	5 pcs	REF P7515	ParaPost XP Plastic Burnout Posts (.050"/1.25mm)	10 pcs
REF PF18145	ParaPost TaperLux Posts Size 4.5	5 pcs	REF P75155	ParaPost XP Plastic Burnout Posts (.055"/1.40mm)	10 pcs
REF PF1815	ParaPost TaperLux Posts Size 5	5 pcs	REF P7516	ParaPost XP Plastic Burnout Posts (.060"/1.50mm)	10 pcs
REF PF18155	ParaPost TaperLux Posts Size 5.5	5 pcs	REF P7517	ParaPost XP Plastic Burnout Posts (.070"/1.75mm)	10 pcs
REF PF1816	ParaPost TaperLux Posts Size 6	5 pcs	REF P7843	ParaPost XP Titanium Posts (.036"/0.90mm)	10 pcs
REF P6830	ParaPost XT Titanium Posts (.036"/0.90mm)	10 pcs	REF P7844	ParaPost XP Titanium Posts (.040"/1.00mm)	10 pcs
REF P6840	ParaPost XT Titanium Posts (.040"/1.00mm)	10 pcs	REF P78445	ParaPost XP Titanium Posts (.045"/1.14mm)	10 pcs
REF P6845	ParaPost XT Titanium Posts (.045"/1.14mm)	10 pcs	REF P7845	ParaPost XP Titanium Posts (.050"/1.25mm)	10 pcs
REF P6850	ParaPost XT Titanium Posts (.050"/1.25mm)	10 pcs	REF P78455	ParaPost XP Titanium Posts (.055"/1.40mm)	10 pcs
REF P6855	ParaPost XT Titanium Posts (.055"/1.40mm)	10 pcs	REF P7846	ParaPost XP Titanium Posts (.060"/1.50mm)	10 pcs
REF P6860	ParaPost XT Titanium Posts (.060"/1.50mm)	10 pcs	REF P884	ParaPost XH Titanium Posts (.040"/1.00mm)	10 pcs
REF P7433	ParaPost XP Plastic Impression Posts (.036"/0.90mm)	20 pcs	REF P8845	ParaPost XH Titanium Posts (.045"/1.14mm)	10 pcs
REF P7434	ParaPost XP Plastic Impression Posts (.040"/1.00mm)	20 pcs	REF P883	ParaPost XH Titanium Posts (.036"/0.90mm)	10 pcs
REF P74345	ParaPost XP Plastic Impression Posts (.045"/1.14mm)	20 pcs	REF P885	ParaPost XH Titanium Posts (.050"/1.25mm)	10 pcs
REF P7435	ParaPost XP Plastic Impression Posts (.050"/1.25mm)	20 pcs	REF P8855	ParaPost XH Titanium Posts (.055"/1.40mm)	10 pcs
REF P74355	ParaPost XP Plastic Impression Posts (.055"/1.40mm)	20 pcs	REF P886	ParaPost XH Titanium Posts (.060"/1.50mm)	10 pcs
REF P7436	ParaPost XP Plastic Impression Posts (.060"/1.50mm)	20 pcs	REF P887	ParaPost XH Titanium Posts (.070"/1.75mm)	10 pcs
REF P7437	ParaPost XP Plastic Impression Posts (.070"/1.75mm)	20 pcs			

Dual Curing Composite Based Post Cement and Core Build Up Material

ParaCore

- 3 indications – 1 material
- For post cementation, core construction and cementation of crowns, bridges, inlays and onlays



ParaCore

REF 5853	Dentin Refill,	1 x 25 ml
REF 5854	White Refill,	1 x 25 ml
REF 5886	Automix White Refill,	2 x 5 ml
REF 5887	Automix Dentin Refill,	2 x 5 ml
REF 60011391	Slow Dentin Refill,	2 x 5 ml
REF 60011392	Slow Trans Refill,	2 x 5 ml



ParaCore 5 ml Intro Kit REF 5885
1 x 5 ml ParaCore Dentin, 1 x 5 ml ParaCore White
1 x 5 ml ParaCore Dentin SLOW, 1 x 5 ml ParaCore Trans SLOW
3 x 3 ml ParaBond Non-Rinse, Conditioner + Adhesive A & B
20 x Mixing Tip Short Super Fine

LEARN MORE



A-silicone impression material

AFFINIS

Speed - Always one of the fastest A-silicones

Still one of the fastest A-silicones

AFFINIS fast, with a maximum total setting time of 2 min 10 sec guarantees optimum efficiency and saves time.

Precise moulding of every detail even under the most difficult conditions

The highly active surfactant system is characterised by excellent surface affinity in a moist environment.

Confidence during impression taking

Self-contouring consistency prevents air bubbles and distortions.

Easy monitoring for success

AFFINIS PRECIOUS wash materials with impressive gold and silver pigmentation for excellent readability and detail reproduction.



VISIBLE PRECISION WITH LOVE FOR DETAILS



OFFER
3+1*
ON REFILLS

OFFER INCLUDES

REF 6530	AFFINIS putty soft 2 x 300 ml
REF 6531	AFFINIS fast putty soft 2 x 300 ml
REF 6535	AFFINIS putty super soft 2 x 300 ml
REF 6482	AFFINIS MonoBody Refill 2 x 380ml
REF 6487	AFFINIS Heavy body Refill 2 x 380ml
REF 6472	AFFINIS Putty Refill 2 x 380ml
REF 60019776	AFFINIS heavy body BLACK EDITION 2 x 380ml
REF 6775	AFFINIS PRECIOUS light body 2 x 50 ml
REF 6776	AFFINIS PRECIOUS regular body 2 x 50 ml
REF 6501	AFFINIS light body 2 x 50 ml
REF 6511	AFFINIS regular body 2 x 50 ml
REF 6590	AFFINIS heavy body 2 x 50 ml
REF 6601	AFFINIS fast light body 2 x 50 ml
REF 6611	AFFINIS fast regular body 2 x 50 ml
REF 6650	AFFINIS fast heavy body 2 x 50 ml

WATCH THE VIDEO



AFFINIS BLACK EDITION


The new black tray material AFFINIS BLACK EDITION (heavy body) reaches with gold or silver coloured AFFINIS PRECIOUS for excellent readability of the impression.

The unique colour combination displays details effectively and precisely which supports the qualitative assessment of the impression result.



AFFINIS BLACK EDITION System 360 heavy body
REF 60019776
includes 2 x 380 ml cartridges

LEARN MORE



"The best impressions the lab had seen"

Dr Mahesh Vasireddy is Principal Dentist at York Dental Practice. He is an experienced dental surgeon, with a special interest in endodontics and cosmetic dentistry. Mahesh believes in providing the highest standard of ethical dentistry and putting his patients first. Here, he discusses why he uses COLTENE's AFFINIS Black Edition impression material.

"I've sent my impressions taken with AFFINIS to several of my labs - one said they were the best they'd ever seen! The main reason is the black and gold colour combination, so any drag or voids can be picked up straight away, with clear margins.

I started using AFFINIS Black Edition heavy body, with AFFINIS Precious regular body a couple of years ago. It gives extremely accurate impressions, without distortion and voids.

These are fantastic impressions of a full arch prep or a single unit, with excellent colour contrast, that are easy to remove, meaning a comfortable experience for my patients."



Dr Mahesh Vasireddy
BDS, MFDS (Edin),
MFDS (London), IQE,
MDS (Endodontics, India)

A-Silicone impression material

PRESIDENT The Original

A SMALL STEP FOR DENTISTS
A GREAT STEP FOR DENTISTRY

- High tear strength and elasticity
- Optimised flowing behavior and thixotropy
- Easier-to-mix putties
- New and more contrasting colours



putty putty soft putty soft fast putty super soft



Regular body Light body Xtra light body



OFFER
3+1*
ON REFILLS

OFFER INCLUDES

REF 60019942	putty 2 x 300 ml
REF 60019943	putty soft 2 x 300 ml
REF 60019944	putty super soft 2 x 300 ml
REF 60022166	fast putty soft 2 x 300 ml
REF 60019946	MonoBody System 360 Refill 2 x 380ml
REF 60019948	heavy body System 360 Refill 2 x 380ml
REF 60019937	Xtra light body 2 x 50 ml
REF 60019938	light body 2 x 50 ml
REF 60019939	regular body 2 x 50 ml
REF 60019940	heavy body 2 x 50 ml
REF 60019949	light body 2 x 53 ml
REF 60019950	regular body 2 x 53 ml

LEARN MORE



Flowable dual curing posterior restorative material

Fill-Up!

AN ALTERNATIVE TO AMALGAM

- Optimal depth polymerisation with minimal shrinkage due to dual curing system.
- Guaranteed single-layer technique - even in very deep cavities.
- Optimised sealing of margins - reduced post-operative sensitivity
- Universal shade in a convenient Automix syringe for efficient placement



" Given the move towards less amalgam use there is going to be greater need for suitable alternative materials and composite resin will lead the way. There are likely to be increased use of novel techniques including bulk-fill restorative materials. Fill-Up is one such material that allows rapid cavity filling, easy finishing and a reasonable wear resistance with simple top-up and repair options for long-term maintenance "

Professor Brian Millar



Fill-Up! Kit
REF 60019973

Contents: 2 x 4.5 g Fill-Up! Universal,
1 x 5 ml ONE COAT 7 UNIVERSAL, 1 x 3 ml ONE COAT 7 UNIVERSAL Activator
6 x Mixing tips Short Super Fine, 8 x Mixing tips Short Fine



OFFER
Buy any kit
GET A FREE
COMPOSITE
INSTRUMENT
SET

UK SPECIAL PROMOTION
Copy invoice required.
Send to info.uk@coltene.com

Fill-Up! Refill Syringe
REF 60019341
1 x 4.5 g Fill-Up! Universal,
6 x Mixing tips

Fill-Up! Economy Kit
REF 60019355
5 x 4.5 g Fill-Up! Universal,
20 x Mixing Tip short fine
15 x Mixing Tip short super fine

LEARN MORE



Light-Curing Single-Component Universal Bond

ONE COAT 7 UNIVERSAL

Strong individually, unbeatable together:
The **SoloCem** + **ONE COAT 7 UNIVERSAL**
bonding system

THE NEW
SUPERKRAFT

300
Applications
per bottle

- Self Etch, Selective Etch and Total Etch, a bond for all adhesive techniques
- With activator for chemically curing products
- Exceptional bonding values on enamel and dentine
- Excellent marginal seal and outstanding marginal leakage tightness
- Ergonomically shaped, triangular bottle with dropper for fine dosing

Contains MDP - One bond for all indications



A partner you can count on – always

SoloCem

A host of different indications,
yet always the same solution

You believe in speed and efficiency?
Then choose SoloCem, because
self-adhesive application is not only
fast but also safe. However, depending
on the clinical case, a stronger adhesive
bond may be necessary. Even then,
SoloCem is the right choice - use
ONE COAT 7 UNIVERSAL as
"adhesion booster" in addition.

Less administration.
More time for important things

As you only need one cement for both
luting options (adhesive and self-adhesive)
with SoloCem, you not only save space
in your inventory, but also time spent for
the administration of additional products.
That means: More time for what is most
important - the patient

Free Sample
available
Ask your
Territory Manager



**UNIVERSAL
ACTIVATOR 3ml**
for self and dual
cure materials
REF 7054
1 x 3 ml Activator,
1 x 50 pcs. Microblush, black



**ONE COAT 7
UNIVERSAL Refill**
REF 60019539



OFFER
3+1*
ON ONE COAT 7
REFILLS

ONE COAT 7 UNIVERSAL Intro Kit
REF 60019538
1 x 5 ml ONE COAT 7 UNIVERSAL
1 x 2.5 ml Etchant Gel S
1 x 20 pcs. Application needles
1 x 50 pcs. Brushes black
1 x Mixing well with cover



LEARN MORE



For improved bond
strength: use with
ONE COAT 7 UNIVERSAL
on enamel and dentine

LEARN MORE



SoloCem Intro Kit
REF 60013986
1 x SoloCem Dentin, 5 ml,
1 x SoloCem Trans, 5 ml
10 x Mixing Tip Brown Short Super Fine,
10 x Mixing Tip Brown Short Fine

SoloCem Refill Dentin
REF 60014062
1 x 5 ml / 10.5 g SoloCem Dentin,
5 x Mixing Tip Brown Short Super Fine
5 x Mixing Tip Brown Short Fine

SoloCem Refill White Opaque
REF 60014061
1 x 5 ml / 10.5 g SoloCem White Opaque / as above

SoloCem Refill Translucent
REF 60019840
1 x 5 ml / 10.5 g SoloCem Translucent / as above

Universal submicron hybrid composite

BRILLIANT EverGlow

Enduring gloss – made brilliant



Thanks to its sophisticated load composition, BRILLIANT EverGlow immediately produces an exceptionally smooth, glossy and satin-finished surface as soon as the filling is put in place. Polishing is simplified and a very aesthetic restoration can be done in no time. In addition, the versatile BRILLIANT EverGlow filling material excels in its enhanced gloss retention.

- Exceptional polishability and long-lasting brilliance
- Aesthetic single-shade restorations
- Versatile shade system with three translucency levels
- Excellent sculptability and smooth consistency
- Good wettability with minimal stickiness to the instrument

LEARN MORE



OCTOBER
PRODUCT OF
THE MONTH
Ask Your
Territory Manager

"BRILLIANT EverGlow gives me consistent results"

Dr Mihir Nanavati is a dentist with a special interest in minimally invasive dentistry, composite bonding and full mouth restorative cases. He uses COLTENE BRILLIANT EverGlow universal submicron hybrid composite and, here, he tells us why:
"I have tried multiple different composite systems over the last 10 years, but none have given me the consistent results that EverGlow has. It's a material that is easy to place, effortless to polish and incredibly stain resistant, with my bonding cases still showing fantastic lustre at five year post-placement reviews. I highly recommend using BRILLIANT EverGlow, you won't be disappointed!"



Dr Mihir Nanavati

BRILLIANT EverGlow Refills

1 x Syringe, 3g OR 20 x Tip, 0,2

Bleach Syringe > 60019697 Tips > 60019706	Translucent Syringe > 60019704 Tips > 60019718
A1/B1 Syringe > 60019698 Tips > 60019707	Bleach Translucent Syringe > 60019705 Tips > 60019719
A2/B2 Syringe > 60019699 Tips > 60019708	Opaque Bleach Syringe > 60019743 Tips > 60019746
A3/D3 Syringe > 60019700 Tips > 60019709	Opaque A1 Syringe > 60019744 Tips > 60019747
A3.5/B3 Syringe > 60019701 Tips > 60019710	NEW Opaque A2 Syringe > 60023819 Tips > 60023823
C2/C3 Syringe > 60019702 Tips > 60019716	NEW Opaque A3 Syringe > 60019745 Tips > 60019748
A4/C4 Syringe > 60019703 Tips > 60019717	NEW Opaque A4 Syringe > 60023820 Tips > 60023824



OFFER

Buy any kit
**GET A FREE
COMPOSITE
INSTRUMENT
SET**

UK SPECIAL PROMOTION
Copy invoice required.
Send to info.uk@coltene.com



Single Shade Kit - Tips 70 x 0.2g

REF 60024152

10 x Bleach, 10 x A1/B1, 10 x A2/B2,
10 x A3/D3, 10 x A3.5/B3,
10 x C2/C3, 10 x A4/C4

Single Shade Kit - Syringes 7 x 3g

REF 60024151

1 x Bleach, 1 x A1/B1, 1 x A2/B2,
1 x A3/D3, 1 x A3.5/B3, 1 x C2/C3,
1 x A4/C4



Extension Kit - Syringes 7 x 3g

REF 60024156

1 x Bleach Trans, 1 x Trans,
1 x Opaque Bleach, 1 x Opaque A1,
1 x Opaque A2, 1 x Opaque A3,
1 x Opaque A4

Extension Kit - Tips 70 x 0.2g

REF 60024157

10 x Bleach Trans, 10 x Trans,
10 x Opaque Bleach, 10 x Opaque A1,
10 x Opaque A2, 10 x Opaque A3,
10 x Opaque A4

BRILLIANT EverGlow Flow

BRILLIANT EverGlow Flow provides convincing aesthetic results and is the perfect partner for the universal BRILLIANT EverGlow composite. The aesthetic composite is easy to handle, and suitable for a host of different indications.

BRILLIANT EverGlow Flow

1 x 2g Syringe,
5 x Standard application needles
5 x Fine application needles 0.4 mm



Bleach BL Syringe > 60019752
A1/B1 Syringe > 60019753
A2/B2 Syringe > 60019754
A3/D3 Syringe > 60019755
A3.5/B3 Syringe > 60019756
A4/C4 Syringe > 60019757
Translucent Trans Syringe > 60019758
Opaque A2/(OA2) Syringe > 60019751
NEW Opaque A3/(OA3) Syringe > 60023825

The perfect way to try 3 new COLTENE materials

RESTORATION HIGHLIGHT KIT

BRILLIANT EverGlow

- Exceptional polishability and long-lasting brilliance
- Aesthetic single-colour restorations
- Ideal handling through smooth consistency

ONE COAT 7 UNIVERSAL

- Self, Selective and Total Etch, a bond for all adhesive techniques
- Exceptional bonding values on enamel and dentine
- Excellent marginal seal and outstanding marginal leakage tightness

DIATECH ShapeGuard

- Adapts to any surface
- Uniform pressure distribution.
- Tooth morphology preserved
- Fast, easy and intuitive finishing & polishing
- Optimised for composite and ceramics



OFFER
25%
OFF RRP*

Restoration Highlight Kit Syringes

REF 60020090

3 x BRILLIANT EverGlow Syringes (3g) (1 x A1/B1, A2/B2, A3/D3),
1 x One Coat 7 Universal Bond 5ml +50 brushes,
2 x DIATECH ShapeGuard brushes for composite, (1 x pre-polisher and 1 high lustre)

Restoration Highlight Kit Tips

REF 60020091

30 x BRILLIANT EverGlow Tips 0.2g, 10 tips of each,
1 x One Coat 7 Universal Bond 5ml +50 brushes,
2 x DIATECH ShapeGuard brushes for composite, (1 x pre-polisher and 1 high lustre)

PLUS
UK OFFER

Buy either kit
GET A FREE
COMPOSITE
INSTRUMENT
SET

UK SPECIAL PROMOTION

Copy invoice required.
Send to info.uk@coltene.com



Reinforced CAD/CAM composite for permanent restoration

BRILLIANT Crios Block

Free Sample
available
Ask your
Territory Manager



CEREC/inLab – 5 blocks
5 x Blocks (size 12 or 14)

BRILLIANT Crios is a high performance composite block for permanent restorations. The material combines all the advantages of an innovative submicron hybrid composite material with those of a CAD/CAM fabrication process for the reliable, aesthetic and fast manufacturing of restorations without a separate firing process.

	Low Translucent		High Translucent	
	5 x 12	5 x 14	5 x 12	5 x 14
BLEACH	60019998 BL LT 12	60019985 BL LT 14	-	-
A1	60019999 A1 LT 12	60019986 A1 LT 14	60020007 A1 HT 12	60019994 A1 HT 14
A2	60020000 A2 LT 12	60019987 A2 LT 14	60020008 A2 HT 12	60019995 A2 HT 14
A3	60020001 A3 LT 12	60019988 A3 LT 14	60020009 A3 HT 12	60019996 A3 HT 14
A3.5	60020002 A3.5 LT 12	60019989 A3.5 LT 14	-	-
B1	60020003 B1 LT 12	60019990 B1 LT 14	60020010 B1 HT 12	60019997 B1 HT 14
B2	60020004 B2 LT 12	60019991 B2 LT 14	-	-
B3	60020005 B3 LT 12	60019992 B3 LT 14	-	-
C2	60020006 C2 LT 12	60019993 C2 LT 14	-	-

- High flexural strength for resistant restorations
- Tooth-like elasticity for a shock-absorbing effect and pleasant bite experience
- Blends in extremely well to give natural aesthetics
- High resistance and low abrasion on opposite tooth
- Easy polishing for fast shine

OFFER
4+1*
BLOCKS OR DISCS

BRILLIANT Crios Disc

- Made from our award winning BRILLIANT EverGlow composite
- High surface lustre for smoother restorations
- Duo shades for economy in high or low translucencies

	Low Translucent		High Translucent	
	14 mm	18 mm	14 mm	18 mm
A1	60022899 A1 LT H14	60022886 A1 LT H18	60022907 A1 HT H14	60022894 A1 HT H18
A2	60022900 A2 LT H14	60022887 A2 LT H18	60022908 A2 HT H14	60022895 A2 HT H18
A3	60022901 A3 LT H14	60022888 A3 LT H18	60022909 A3 HT H14	60022896 A3 HT H18
A3.5	60022902 A3.5 LT H14	60022889 A3.5 LT H18	-	-



The disc is available in the two different heights 14 mm/18 mm and following shades and translucencies:

LEARN MORE



DIATECH ShapeGuard

Strong in polishing. Gentle on surfaces.

Ideal for polishing BRILLIANT Crios or any other indirect restorations. A perfect complement to existing DIATECH diamond polishing systems

- Adapts to any surface
- Uniform pressure distribution due to flexible lamellas
- Morphology of tooth is preserved
- Fast, easy and intuitive finishing & polishing
- Optimised polishing systems for composite and ceramics



ShapeGuard Composite Polishers refill (pack of 5)

REF 60019878 Purple
REF 60019880 Light Blue

ShapeGuard Ceramic Polishers refill (pack of 5)

REF 60019881 Blue
REF 60019882 Red
REF 60019883 Grey

ShapeGuard Zirconia Polishers refill (pack of 5)

REF 60022004 Green
REF 60022005 Orange

LEARN MORE



ShapeGuard Zirconia Polishing Plus Kit

REF 60022020

This kit offers a comprehensive selection of silicone polishers for prepolishing (green polishers) and high luster polishing (orange polishers) of zirconia restorations.



ShapeGuard Ceramic Polishing Kit

REF 60019917

This kit offers a comprehensive selection of silicone polishers for finishing (blue polishers), prepolishing (red polishers) and high luster polishing (grey polishers) of ceramic restorations.



ShapeGuard Composite Polishing Kit

REF 60019916

This kit offers a comprehensive selection of silicone polishers for prepolishing (purple polishers) and high luster polishing (blue polishers) of composite restorations. While minipoints are used to smoothen and polish interproximal and hard to reach occlusal areas, the cups are especially indicated for cusp polishing, but also occlusal polishing in general.

DIATECH Diamond Bur Range

Packs contain 5 burs

OFFER

4+1*
ON ALL REFILLS

* REF on back side	Head shape ISO Ø 1/10 mm Head L in mm FG MLX FG ML FG F FG XF FG UF FGS* FGL* FGXL*	ISO 001...009	801 009	
	ISO 001...010	801 010		
	ISO 001...012	801 012		
	ISO 001...014	801 014		
	ISO 001...016	801 016		
		ISO 001...018	801 018	
		ISO 001...020	801 020	
		ISO 001...023	801 023	
		ISO 001...027	801 027	
		ISO 002...012	802 012 2.3	
		ISO 002...014	802 014 2.3	
		ISO 002...016	802 016 2.3	
		ISO 010...012	805 012 0.9	
		ISO 010...014	805 014 1.4	
		ISO 010...016	805 016 1.4	
		ISO 019...010	806 010 2.2	
		ISO 019...012	806 012 2.2	
		ISO 019...014	806 014 2.2	
		ISO 019...016	806 016 2.5	
		ISO 225...010	807 010 3.5	
		ISO 225...012	807 012 3.5	
		ISO 225...016	807 016 3.5	
		ISO 225...018	807 018 5	
		ISO 225...020	807 020 5	
		ISO 225...022	807 022 5	
		ISO 225...024	807 024 5	
		ISO 225...026	807 026 5	
		ISO 225...028	807 028 5	
		ISO 225...030	807 030 5	
		ISO 225...032	807 032 5	
		ISO 225...034	807 034 5	
		ISO 225...036	807 036 5	
		ISO 225...038	807 038 5	
		ISO 225...040	807 040 5	
		ISO 225...042	807 042 5	
		ISO 225...044	807 044 5	
		ISO 225...046	807 046 5	
		ISO 225...048	807 048 5	
		ISO 225...050	807 050 5	
		ISO 225...052	807 052 5	
		ISO 225...054	807 054 5	
		ISO 225...056	807 056 5	
		ISO 225...058	807 058 5	
		ISO 225...060	807 060 5	
		ISO 225...062	807 062 5	
		ISO 225...064	807 064 5	
		ISO 225...066	807 066 5	
		ISO 225...068	807 068 5	
		ISO 225...070	807 070 5	
		ISO 225...072	807 072 5	
		ISO 225...074	807 074 5	
		ISO 225...076	807 076 5	
		ISO 225...078	807 078 5	
		ISO 225...080	807 080 5	
		ISO 225...082	807 082 5	
		ISO 225...084	807 084 5	
		ISO 225...086	807 086 5	
		ISO 225...088	807 088 5	
		ISO 225...090	807 090 5	
		ISO 225...092	807 092 5	
		ISO 225...094	807 094 5	
		ISO 225...096	807 096 5	
		ISO 225...098	807 098 5	
		ISO 225...100	807 100 5	
		ISO 225...102	807 102 5	
		ISO 225...104	807 104 5	
		ISO 225...106	807 106 5	
		ISO 225...108	807 108 5	
		ISO 225...110	807 110 5	
		ISO 225...112	807 112 5	
		ISO 225...114	807 114 5	
		ISO 225...116	807 116 5	
		ISO 225...118	807 118 5	
		ISO 225...120	807 120 5	
		ISO 225...122	807 122 5	
		ISO 225...124	807 124 5	
		ISO 225...126	807 126 5	
		ISO 225...128	807 128 5	
		ISO 225...130	807 130 5	
		ISO 225...132	807 132 5	
		ISO 225...134	807 134 5	
		ISO 225...136	807 136 5	
		ISO 225...138	807 138 5	
		ISO 225...140	807 140 5	
		ISO 225...142	807 142 5	
		ISO 225...144	807 144 5	
		ISO 225...146	807 146 5	
		ISO 225...148	807 148 5	
		ISO 225...150	807 150 5	
		ISO 225...152	807 152 5	
		ISO 225...154	807 154 5	
		ISO 225...156	807 156 5	
		ISO 225...158	807 158 5	
		ISO 225...160	807 160 5	
		ISO 225...162	807 162 5	
		ISO 225...164	807 164 5	
		ISO 225...166	807 166 5	
		ISO 225...168	807 168 5	
		ISO 225...170	807 170 5	
		ISO 225...172	807 172 5	
		ISO 225...174	807 174 5	
		ISO 225...176	807 176 5	
		ISO 225...178	807 178 5	
		ISO 225...180	807 180 5	
		ISO 225...182	807 182 5	
		ISO 225...184	807 184 5	
		ISO 225...186	807 186 5	
		ISO 225...188	807 188 5	
		ISO 225...190	807 190 5	
		ISO 225...192	807 192 5	
		ISO 225...194	807 194 5	
		ISO 225...196	807 196 5	
		ISO 225...198	807 198 5	
		ISO 225...200	807 200 5	
		ISO 225...202	807 202 5	
		ISO 225...204	807 204 5	
		ISO 225...206	807 206 5	
		ISO 225...208	807 208 5	
		ISO 225...210	807 210 5	
		ISO 225...212	807 212 5	
		ISO 225...214	807 214 5	
		ISO 225...216	807 216 5	
		ISO 225...218	807 218 5	
		ISO 225...220	807 220 5	
		ISO 225...222	807 222 5	
		ISO 225...224	807 224 5	
		ISO 225...226	807 226 5	
		ISO 225...228	807 228 5	
		ISO 225...230	807 230 5	
		ISO 225...232	807 232 5	
		ISO 225...234	807 234 5	
		ISO 225...236	807 236 5	
		ISO 225...238	807 238 5	
		ISO 225...240	807 240 5	
		ISO 225...242	807 242 5	
		ISO 225...244	807 244 5	
		ISO 225...246	807 246 5	
		ISO 225...248	807 248 5	
		ISO 225...250	807 250 5	
		ISO 225...252	807 252 5	
		ISO 225...254	807 254 5	
		ISO 225...256	807 256 5	
		ISO 225...258	807 258 5	
		ISO 225...260	807 260 5	
		ISO 225...262	807 262 5	
		ISO 225...264	807 264 5	
		ISO 225...266	807 266 5	
		ISO 225...268	807 268 5	
		ISO 225...270	807 270 5	
		ISO 225...272	807 272 5	
		ISO 225...274	807 274 5	
		ISO 225...276	807 276 5	
		ISO 225...278	807 278 5	
		ISO 225...280	807 280 5	
		ISO 225...282	807 282 5	
		ISO 225...284	807 284 5	
		ISO 225...286	807 286 5	
		ISO 225...288	807 288 5	
		ISO 225...290	807 290 5	
		ISO 225...292	807 292 5	
		ISO 225...294	807 294 5	
		ISO 225...296	807 296 5	
		ISO 225...298	807 298 5	
		ISO 225...300	807 300 5	
		ISO 225...302	807 302 5	
		ISO 225...304	807 304 5	
		ISO 225...306	807 306 5	
		ISO 225...308	807 308 5	
		ISO 225...310	807 310 5	
		ISO 225...312	807 312 5	
		ISO 225...314	807 314 5	
		ISO 225...316	807 316 5	
		ISO 225...318	807 318 5	
		ISO 225...320	807 320 5	
		ISO 225...322	807 322 5	
		ISO 225...324	807 324 5	
		ISO 225...326	807 326 5	
		ISO 225...328	807 328 5	
		ISO 225...330	807 330 5	
		ISO 225...332	807 332 5	
		ISO 225...334	807 334 5	
		ISO 225...336	807 336 5	
		ISO 225...338	807 338 5	
		ISO 225...340	807 340 5	
		ISO 225...342	807 342 5	
		ISO 225...344	807 344 5	
		ISO 225...346	807 346 5	
		ISO 225...348	807 348 5	
		ISO 225...350	807 350 5	
		ISO 225...352	807 352 5	
		ISO 225...354	807 354 5	
		ISO 225...356	807 356 5	
		ISO 225...358	807 358 5	
		ISO 225...360	807 360 5	
		ISO 225...362	807 362 5	
		ISO 225...364	807 364 5	

DIATECH Diamond Bur Range (cont.)

Packs contain 5 burs

OFFER
4+1*
ON ALL REFILLS

Head shape ISO Ø 1/10 mm Head L in mm	846 016	846 018	846 023	846R 016	847 012	847 014	847 016	847 018	847 025	847R 016	848 012	848 014
FG MLX	200308AA	200311AA	200313AA	200315AA	200324AA	200327AA	200328AA	200330AA	200332AA	200335AA	200337AA	200342AA
FG ML												
FG F												
FG XF												
FG UF												
FG Topspin												
FGS*												
FGI*												
FGXL*												

Head shape ISO Ø 1/10 mm Head L in mm	848 016	848 018	848 023	848L 018	849 016	849 025	850 012	850 014	850 016	850 018	850 021	850 025
FG MLX	200348AA	200351AA	200353AA	200356AA	200364AA	200366AA	200372AA	200374AA	200376AA	200378AA	200379AA	200382AA
FG ML												
FG F												
FG XF												
FG UF												
FG Topspin												
FGS*												

Head shape ISO Ø 1/10 mm Head L in mm	850 018	850 023	850L 016	850L 018	850N 014	851 012	851 016	852 012	852 016	853 008	855 010	855 012
FG MLX	200382AA	200383AA	200387AA	200388AA	200389AA	200390AA	200391AA	200398AA	200400AA	200403AA	200413AA	200414AA
FG ML												
FG F												
FG XF												
FG UF												
FG Topspin												
FGS*												
FGXL*												

Head shape ISO Ø 1/10 mm Head L in mm	855 014	856 012	856 014	856 016	856 018	856 021	856 025	856L 010	856L 012
FG MLX	200417AA	200433AA	200435AA	200437AA	200440AA	200443AA	200445AA	200446AA	200447AA
FG ML									
FG F									
FG XF									
FG UF									
FG Topspin									
FGS*									
FGXL*									

Head shape ISO Ø 1/10 mm Head L in mm	856L 014	856L 016	856L 018	856L 021	856XL 012	856XL 018	856N 014	858 012	858 014	858 016	859 010	859 012
FG MLX	200462AA	200464AA	200466AA	200468AA	200470AA	200472AA	200474AA	200491AA	200493AA	200495AA	200502AA	200504AA
FG ML												
FG F												
FG XF												
FG UF												
FG Topspin												
FGS*												

Head shape ISO Ø 1/10 mm Head L in mm	859 014	859 016	859 018	860 012	860 014	860 016	862 010	862 012	862 014	862 016	863 012
FG MLX	200509AA	200512AA	200514AA	200516AA	200518AA	200520AA	200522AA	200524AA	200526AA	200528AA	200530AA
FG ML											
FG F											
FG XF											
FG UF											
FG Topspin											
FGS*											

Head shape ISO Ø 1/10 mm Head L in mm	863 016	864 012	877 010	877 012	877K 012	877K 014	877K 016	877K 018
FG MLX	200568AA	200572AA	200590AA	200592AA	200602AA	200604AA	200605AA	200608AA
FG ML								
FG F								
FG XF								
FG UF								
FG Topspin								
FGS*								

Head shape ISO Ø 1/10 mm Head L in mm	878 010	878 012	878 014	878 016	878K 010	878K 012	878K 014	878K 016	878K 018	878K 021	879 012	879 014	879 016
FG MLX	200615AA	200617AA	200619AA	200620AA	200631AA	200633AA	200634AA	200636AA	200638AA	200639AA	200651AA	200654AA	200655AA
FG ML													
FG F													
FG XF													
FG UF													
FG Topspin													
FGS*													
FGI*													
FGXL*													

Head shape ISO Ø 1/10 mm Head L in mm	879K 012	879K 014	879K 016	879K 018	879K 021	880 012	880 014	880 016	881 010	881 012	881 014	881 016	882 012	882 014	884 012
FG MLX	200660AA	200664AA	200666AA	200667AA	200671AA	200680AA	200684AA	200688AA	200691AA	200693AA	200694AA	200695AA	200702AA	200704AA	200705AA
FG ML															
FG F															
FG XF															
FG UF															
FG Topspin															
FGS*															

Head shape ISO Ø 1/10 mm Head L in mm	885 012	885 014	886 012	886 014	886 016	886 018	889 009	899 027	905 023	905 027	905 031	909 040
FG MLX	200711AA	200715AA	200719AA	200723AA	200725AA	200726AA	200733AA	200737AA	200738AA	200741AA	200744AA	200752AA
FG ML												
FG F												
FG XF												
FG UF												
FG Topspin												
FGS*												
FGXL*												

Head shape ISO Ø 1/10 mm Head L in mm	909 055	368 016	368 020	368 023	379 014	379 016	379 018	379 023	390 014	392 016	392 018
FG MLX	200756AA	200805AA	200807AA	200811AA	200824AA	200830AA	200833AA	200834AA	200843AA	200851AA	200853AA
FG ML											
FG F											
FG XF											
FG UF											
FG Topspin											
FGS*											
FGXL*											

Head shape ISO Ø 1/10 mm Head L in mm	392 021	6051 018	6052 018	6055 018	801M 009	838M 007	889M 007
FG MLX	200856AA	200861AA	200862AA	200869AA	200897AA	200907AA	200977AA
FG ML							
FG F							
FG XF							
FG UF							
FG Topspin							
FGS*							

MICRO BURS

Z-RX BURS

Head shape ISO Ø 1/10 mm Head L in mm	ZR801 012	ZR801 014	ZR801 018	ZR850 016	ZR850 018	ZR856 018	ZR862 014	ZR863 010	ZR881 014	ZR881 016	ZR379 023
FG C											
FG M											
FG S											
FG Topspin											
FGS*											

GUIDE PIN BURS

Head shape ISO Ø 1/10 mm Head L in mm	856P 018	856P 021	878KP 018	878KP 021
FG C				
FG M				
FG S				
FG Topspin				
FGS*				

RA SHANK BURS

Head shape ISO Ø 1/10 mm Head L in mm	893 014	893L 014	368 014	368L 014
FG C				
FG M				
FG S				
FG Topspin				
FGS*				

MEET THE TEAM



Kirsty McLaughlin
07788 146 109
kirsty.mclaughlin@coltene.com
Scotland



Debi Boynton
07764 327 425
debi.boynton@coltene.com
North West



Emma Gilks
07906 749 682
emma.gilks@coltene.com
West Midlands & North Wales



Claire Griffin
07889 227 424
claire.griffin@coltene.com
North East



Nick O'Keeffe
00353 8641 35766
nicholas.okeeffe@coltene.com
Ireland



Sue Robins
07786 965 019
sue.robins@coltene.com
East Midlands



Shah Monnan
07712 407 071
shah.monnan@coltene.com
Essex & East London



Andrew Miller
07788 583 057
andrew.miller@coltene.com
South Wales & West Country



Eva Fedorowicz
07818 424 210
eva.fedorowicz@coltene.com
North, West & Central London



Louise Fish
07788 146 130
louise.fish@coltene.com
South London & South Coast

UK OFFICE - SUSSEX



Mark Allen
07787 570 517
Managing Director



Nic Coomber
01444 235 486 - Ext 204
National Account Manager
& Marketing Strategist



Helen Chart
01444 235 486 - Ext 202
Finance & Office Manager



Alicia Franks
01444 235 486 - Ext 201
Office Coordinator

*Offer ends 31.12.2023. Available from participating suppliers. RPPs may vary with supplier.
For free item offers, free item from supplier unless otherwise stated.

© COLTENE – Printing errors, mistakes and changes reserved.



0800 254 5115 | info.uk@coltene.com | www.coltene.com

Coltene/Whaledent Ltd., The President Suite A, Kendal House, Victoria Way, Burgess Hill, West Sussex RH15 9NF

